



HYDROGEOLOGIC DATABASE Chemical Analysis

[Click HERE to View Information for Well 7TT](#)

Sample Results Color Code Legend

Sample Exceeds [None] [Secondary] [Primary] **MCL**



Owner Name: **Glocrest (no log)**

Well Key: **7TT**

Site Type: **Well**

TRS: **29N/02E-15L**

DOH PwsID: **15301**

DOH Source #: **1**

PWS Name: **Glocrest**

		Bicarbonate				Conductivity		Hardness				Turbidity					
Source	Date	Alk	As		Ca	Cl		Fe		K	Mg	Mn	Na	NO3	SO4		TDS
DOH	6/5/1991													6.7			
DOH	4/3/2000													0.66			
DOH	2/9/2004													0.7			
DOH	2/12/2007													< 0.2			
DOH	2/9/2010													0.89			
DOH	2/12/2013													9.09			
DOH	2/9/2016													0.94			
DOH	2/17/2020		0.007			20.8	463	0.1	186			0.0739	15.3	1.52	21.8	2.7	274
DOH	2/9/2021		0.0068			22.6	467	< 0.1	202.1			0.0257	17	1.14	22.5	0.37	280

Select Summary Statistics

Avg As: 0.0069

Median As: 0.0069

Max As: 0.007

Avg Cl: 21.7

Median Cl: 21.7

Max Cl: 22.6

Avg Hardness: 194.05

Median Hardness: 194.05

Max Hardness: 202.1

Avg NO3: 2.42

Median NO3: 0.94

Max NO3: 9.09

Bacteria Samples (distribution): [36 sample\(s\)](#)

Disclaimer: Data presented has been collected from a variety of sources. Island County makes no guarantee as to the validity or accuracy of this data.
Please report any errors to the Island County Hydrogeologist.

Generated by the Island County Hydrogeologic Database

9 records printed on 3/9/2021

Note: Items with [blue frames and blue text](#) are clickable hyperlinks to additional information / resources.

Parameter labels with a [red fill color](#) are exhibiting an increasing trend, and those with a [green fill color](#) are exhibiting a decreasing trend.